

DESIGNER


SERIES

CONCORD
VERTICAL

50 Δ t

(75/65/20°C)

SINGLE



DOUBLE



Height mm	Length mm	Elements	White UIN	Colour UIN	Heat output Watts Btu/hr		White UIN	Colour UIN	Heat output Watts Btu/hr	
1800	444	6	148340	148340c	852	2907	148640	148640c	1254	4279
	592	8	148341	148341c	1136	3876	148641	148641c	1672	5705
	740	10	148342	148342c	1420	4845	148642	148642c	2090	7131
2000	444	6	148343	148343c	942	3214	148643	148643c	1386	4729
	592	8	148344	148344c	1256	4286	148644	148644c	1848	6306
	740	10	148345	148345c	1570	5357	148645	148645c	2310	7882

Δ t50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δ t40 or Δ t30 output (see your installer or system designer or download from www.stelradprofessional.com).

For EN442 data, technical and installation information please visit our website: www.stelradprofessional.com and search product downloads.

COLOUR OPTIONS

Comes in White as standard (RAL 9016).

Colour radiators have a lead time of up to 8 weeks for configurable options, and a 14-day lead time for nonconfigurable products (from order to delivery). Please note that once a coloured radiator has been ordered, it cannot be cancelled or returned.




CONCORD VERTICAL



WALL MOUNTING INFORMATION


All dimensions in mm & Inches

Type	From back of radiator to wall		From wall to centre of connections		From front of radiator to wall	
Single Vertical	24mm	0.98inch	43mm	1.69inch	71mm	2.80inch
Double Vertical	40mm	1.57inch	67mm	2.64inch	95mm	3.74inch



FIXING POSITIONS - SINGLE & DOUBLE

All dimensions in mm & Inches.





CONNECTIONS

Each radiator comes with 1/2" inlet connections as standard.

EN 442 CERTIFICATION DATA - CETIAT TESTED IN ACCORDANCE WITH BS EN 442

Type	Vertical Single		Vertical Double	
Height	1800	2000	1800	2000
W/m at 75/65/20	1919	2122	2824	3122
n-coefficients	1.31	1.31	1.32	1.32
Heated surface area (m ² /m)	3.99	4.40	7.73	8.56
Weight (kg/m)	41.45	45.66	79.41	87.84
Water contents (l/m)	14.19	15.68	15.00	16.49
Wall to tap centre (mm)	43	43	67	67

PIPING INSTRUCTIONS



55 COLOUR OPTIONS. 14-DAY LEAD TIME.

Stelrad Radiators are available in white (RAL 9016) as standard, however this radiator is **now available in a variety of colours within 14 working days.**

STANDARD COLOUR



RAL 9016
Traffic white

To request up to 5 colour samples, please email sales@stelrad.com or call **0800 876 6813** with your choices and address details.

The colours shown are reproduced as accurately as this printing process will allow.

RAL COLOURS - Satin Finish



1001
Beige



1013
Oyster white



1015
Light ivory



9001
Cream



9002
Grey white



9003
Signal white



9010
Pure white



9016
Traffic white




9018
Papyrus white




9005
Jet black




9017
Traffic black




7001
Silver grey



7011
Iron grey



7015
Slate grey



7016
Anthracite grey




7030
Stone grey




7032
Pebble grey




7035
Light grey



7036
Platinum grey



7037
Dusty grey



7038
Agate grey




7039
Quartz grey




5002
Ultramarine blue



5010
Gentian blue




5012
Light blue



5014
Pigeon blue



5015
Sky blue




5022
Night blue

Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

For further information on RAL colours please visit www.ralcolorchart.com



RAL COLOURS (continued)




5024
Pastel blue




6005
Light moss green



6018
Yellow green




6019
Pastel green




6020
Chrome green



6027
Light green



6033
Mint turquoise



6034
Pastel turquoise



3000
Flame red




3002
Carmine red



3003
Ruby red



3005
Wine red



2003
Pastel orange



2008
Bright red orange



1004
Golden yellow




1016
Sulphur yellow



1021
Colza yellow




3015
Light pink




8014
Sepia




8017
Chocolate brown




7026
Granite



1019
Cappuccino




8028
Terra brown



9011
Graphite black


METALLIC



1247M
Bronze metallic



7001M
Silver metallic



9007M
Grey metallic

Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

For further information on RAL colours please visit www.ralcolorchart.com